

()

*

(// : // :)

SPAD

()

)

()

(/)

(

.(Wani et al., 1995)

.(Asghar & Tahir, 1997)

(Fallah et al., 2005)

(1993) Rehman et al. (Gupta & Agrawal, 1977)

Malhotra et al.

Tuba Bicer et al. (1986) Silim & Saxena (1997)

(2002) Ullah et al. (2004)

(1997) Asghar & Tahir

(Majnon Hoseini et al., 2002)

(2005) Fallah et al.

(Fallah et al., 2005)

(Siddique & Sedgley, 1985)

(Fallah et al., 2005)

(Jat & Mali, 1992)

(Siddique, 1984)

(Baghari et al., 2006; Anonymous, 2002)

b a

(1990) Filippeti .

)

(1989) Yadav & Singh

(

(1998) Rastegar .

()

... :
 In D (g/cm) M () BD /
 ()

// ()

SPAD-502
 190AUV) Minolta LCD
 (Wang et al., 2004) (
 (1984) Meidner /

LX-5201
 SAS
 (LSD)
 ()

)
 (.
) ()
 () () ()

(2002) Ullah et al.
 Tuba Bicer et al. (1992) Hernandez & Barrales
 (2004)

(1992) Singh

(/) (/)
.()

(Kocheki & Banaian Awal, 1997)

/
/
.() (/)

Fallah et al. .

Watt & (2002) Majnon Hoseini et al. (2005)

(/ /)	(SPAD)	(%)	(Kg/ha)	(Kg/ha)	(g)	()
a	b	/ b	b	. b	/ b	/ B
b	a	/ a	a	. a	/ b	a %
a	a	/ b	ab	ab	/ a	/ b

.(P≤5%) LSD

(/ /)	(SPAD)	(%)	(Kg/ha)	(Kg/ha)	(g)	()
b	b	/ a	c	c	/ a	/ a
a	c	/ ab	b	bc	/ a	/ bc
c	a	/ a	b	ab	/ c	/ ab
bc	bc	/ b	a	a	/ ab	/ c


.(P≤5%) LSD

(SPAD)	(%)	(Kg/ha)	(Kg/ha)	(g)
b	/ a	b	a	/ b / ab / a
a	/ b	a	a	/ b / a a
b	/ b	b	b	/ a / b / b

.(P≤5%) LSD

...

:



/ / /

.() / / /

%

.()

.()

.()

(2000) Taliei & Saiadian

/

Fallah et al.

Pacucci et al. (2004) Tuba Bicer et al. (2005)

(2006)

()

Rehman (1995) Asghar & Tahir ()

(1992) Dixit (1992) Pauer et al. (1993) et al.

Majnon Hoseini et al. (1999) Kulaz & Ciftci

(2002)

(2004) Tuba Bicer et al. (2002)

)
(
()

(1984) Siddique .

.()
(1999) Kulaz & Ciftci (1999) Ayaz et al.

(1983) Singh .()
(2002) Majnon Hoseini et al.

(% /) %
(2002) Ullah et al.

.() (% /) (% /)

.()

()		
% () ()		
bc	bc	e
bcd	a	de
b	a	cde
bc	a	bcd

.(p≤5%)

LSD

Majnon Hoseini et al. .

(2002) ()

()

Ullah et al. (1985) Palled et al.

...

$\mu\text{mol m}^{-2} \text{s}^{-1}$

$\mu\text{mol m}^{-2} \text{s}^{-1}$ ()

()

($\mu\text{mol m}^{-2} \text{s}^{-1}$) (1984) Siddique .

% (1983) Singh

()

) (SPAD

Mckenzie & Hill) (SPAD

(1995)) (SPAD

) (SPAD

(1995) Mckenzie & Hill () (1981) May Oral et al.

()

) (SPAD

% ()

(2002) Majnon Hoseini et al.

%

REFERENCES

1. Anonymous. (2002). *Annual statistics*. Iranian Statistic Center Pub. 78P.
2. Asghar, M. & Tahir, M. J. (1997). Effect of irrigation scheduling on chickpea seed yield. *J Agric Res*, 35, 309-314.
3. Ayaz, S., McNeil, D. L., McKenzie, B. A. & Hill, G. D. (1999). Population and sowing depth effects on yield components of grain legumes. *Proc Agron Soc Symp*, 29, 9-15.
4. Baghari, A., Ahmadi, A., Gangali, V. & Parsa, M. (2006). *Agronomy and breeding of chickpea*. Jahad Daneshgahi Pub. Mashhad, 444 P.
5. Dixit, J. P. (1992). Growth behavior and production of chickpea in relation to sowing time and moisture levels. *Crop Res Hisar*, 5, 87-91.
6. Fallah, S., Ehsanzadeh, P. & Daneshvar, M. (2005). Study of the effects of planting density and supplementary irrigation on yield and its components using three chickpea cultivars in KhoramAbad, Lorestan. *Iranian J Agric Sci*, 36, 719 – 731. (In Farsi).
7. Filippeti, A. (1990). Variability of plant and seed characteristics in a collection of chickpea. *Legume Res*, 13, 39-46.
8. Gupta, P. K. & Agrawal, G. G. (1977). Consumptive use of water by gram and linseed. *India J Agric Sci*, 47, 22-26.
9. Hernandez, T. A. & Barrales, S. (1992). Sowing dates and number of irrigations for chickpea in the Chapingo region. *Mexico Revista Chapingo*, 16, 39-43.
10. Jat, M. R. & Mali, A. L. (1992). Effect of phosphorus and seeding rate on physiological parameters and yield of chickpea. *Indian J Agron*, 37, 189-190.
11. Kocheiki, A. & Banaian Awal, M. (1997). *Pulse crop production*. Jahad Daneshgahi Pub. Mashhad, 236p.
12. Kulaz, H. & Ciftci, V. (1999). The Effects of plant density on the yield and yield components of chickpea. *Tr J Agric Forestry*, 23, 599-601.
13. Majnon Hoseini, N., Mohammadi, H., Poustini, K. & Zeinali Khangah, H. (2002). Effect of plant density on yield, chlorophyll content and percentage of relocation in stem characteristics in chickpea cultivars. *Iranian J Agric Sci*, 34, 1019-1011. (In Farsi).
14. Malhotra, R. S., Singh, K. B. & Saxena, M. C. (1997). Effect of irrigation on winter-sown chickpea in a Mediterranean environment. *J Agron Crop Sci*, 178, 237-243.
15. Meidner, H. (1984). *Class experiments in Plant Physiology*. British Library Cataloguing in Publication Data, London.
16. May Oral, M., Astman, L. D., Shimshi, D. & Gromeet Elhanan, Z. (1981). Effects of water stress of enzyme activities on wheat and related wild species: carboxylase activity, electron transport and photophorylation in isolated chloroplasts. *Aust J Plant Physiol*, 8, 385-393.
17. McKenzie, B. A. & Hill, G. D. (1995). Growth and yield of two chickpea (*Cicer arietinum* L.) varieties in Canterbury, New Zealand. *New Zealand J Crop Hort Sci*, 23, 467-474.
18. Pacucci, G., Troccoli, C. & Leoni, B. (2006). Effect of Supplementary Irrigation on Yield of Chickpea Genotypes in a Mediterranean Climate. *The CIGR Ejournal*, 8, 1-9.
19. Palled, Y. B., Chandrashekaraiyah, A. M. & Radder, G. D. (1985). Response of Bengal gram to moisture stress. *Indian J Agron*, 30, 104-106.
20. Pauer, H. K., Khade, K. K. & More, V. D. (1992). Studies on crop sequences under irrigation constrain. *J Mehareshtra Agric Univ*, 17, 299-301.
21. Rastegar, G. (1998). *Study and growth trend and yield of chickpea cultivars using different planting and date*. M. Sc. Thesis, University of Tabriz, Iran.124p. (In Farsi).

- ...
- :
22. Rehman, S. M., Aslam, M. S. & Ahmad, M. (1993). Water relation and yield of two chickpea cultivars influenced by different level of irrigations. *Thai J Agricul Sci*, 16, 253-265.
 23. Siddique, K. H. M. (1984). Effect of plant density on growth and harvest index of branches in chickpea, *Field Crops Res*, 9, 193-203.
 24. Siddique, K. H. M. & Sedgley, R. H. (1985). The effect of reduced branching on yield and water use of chickpea (*Cicer arietinum* L.) in the Mediterranean type of environment. *Field Crops Res*, 12, 251-269.
 25. Silim, S. N. & Saxena, M. C. (1986). *Response to supplementary irrigation*. In Annual Report, Food Legume Improvement Program. ICARDA. Aleppo, Syria.
 26. Singh, B. P. (1983). Response of chickpea to moisture in soil profile and plant population under arid soil. *Indian J Agric Sci*, 53, 543-549.
 27. Taliei, A. & Saiadian, H. (2000). Effect of supplementary irrigation and nutrition requirement in dryland chickpea production. *Iran J Crop Prod*, 2, 124-135. (In Farsi).
 28. Tuba Bicer, B., Kalender, A. N. & Akar, D. A. (2004). The effect of irrigation on spring-sown chickpea. *J. Agron. Asian Network for Scientific Infor*, 2, 154-158
 29. Ullah, A., Bakht, J., Shafi, M. & Islam, W. A. (2002). Effect of various irrigations levels on different chickpea varieties. *Asian J Plant Sci*, 53, 355-357.
 30. Wang, Q., Chen, J. & Li, Y. (2004). Nondestructive and rapid estimation of leaf chlorophyll and nitrogen status of peace and lily using a chlorophyll meter. *J Plant Nutr*, 27, 557-569.
 31. Wani, S. P., Rupela, O. P. & Lee, K. K. (1995). Sustainable agriculture in the semi-arid tropical through biological fixation in grain legume. *Plant Soil*, 174, 29-49.
 32. Watt, J. & Singh, R. K. (1992). Research of late sown lentil (*Lens culinaris*) to seed rate, row spacing and phosphorus levels. *Indian J Agron*, 37, 592-593.
 33. Yadav, D. S. & Singh, V. K. (1989). Effect of sowing dates and plant densities on the performance of Kabuli chickpea genotypes. *J Pulses Res*, 2, 192-194.
 34. Yusefi, B., Kazemi Arbat, H., Rahimzadeh Khoei, F. & Moghadam, M. (2002). Path analysis and evaluation of genetic variation of chickpea cultivars under two moisture regimes. *Iran J Agric Sci*, 28, 147-161. (In Farsi).

